

AMENDMENTS TO THE CLAIMS

Listing of the claims:

Following is a listing of all claims in the present application, which listing supersedes all previously presented claims:

1. (Previously Presented) An electronic apparatus, comprising:
a plurality of capture units, fixed in different directions, capturing a target object;
a voice input unit inputting voice;
a selection unit selecting one of said plurality of capture units; and
a sensitivity control unit controlling sensitivity of said voice input unit based on a relative angle between a direction of said capture unit selected by said selection unit and a direction of said voice input unit.

2. (Canceled)

3. (Previously Presented) The apparatus according to claim 1, wherein said sensitivity control unit increases sensitivity of said voice input unit with an increasing relative angle.

4. (Previously Presented) An electronic apparatus, comprising:
a first capture unit, fixed in a same direction as a display unit, capturing a target object in the direction;

a second capture unit, fixed in one direction while the display unit is fixed in an opposite direction, capturing a target object in the former direction;

a voice input unit inputting voice;

a selection unit selecting said first capture unit or said second capture unit; and

a sensitivity control unit controlling sensitivity of said voice input unit based on a relative angle between a direction of said capture unit selected by said selection unit and a direction of said voice input unit.

5. (Canceled)

6. (Currently Amended) A mobile phone ~~An electronic apparatus~~, comprising:

a plurality of capture units capturing a target object;

voice input units, equal in number to said plurality of capture units, inputting voice corresponding to respective capture units;

a selection unit selecting one of said plurality of capture units; and

a control unit controlling said plurality of voice input units based on said selection unit.

7. (Currently Amended) The mobile phone apparatus ~~apparatus~~ according to claim 6, wherein

said voice input unit is associated with said capture unit facing in a same direction as said voice input unit.

8. (Currently Amended) The mobile phone ~~apparatus~~ according to claim 6,
wherein
said control unit controls said voice input units to collect voice only from a voice
input unit corresponding to said capture unit based on said selection unit.

9. (Currently Amended) The mobile phone ~~apparatus~~ according to claim 6,
wherein
said control unit increases sensitivity of a voice input unit corresponding to said
capture unit based on said selection unit more than sensitivity of a voice input unit other
than said voice input unit.

10-11. (Canceled)

12. (Currently Amended) An electronic ~~The apparatus according to claim 11,~~
comprising:
a capture unit capturing a target object;
a voice input unit inputting voice; and
a ~~wherein said~~ rotation unit rotating ~~rotates~~ said capture unit and said voice input
unit independently.

13. (Currently Amended) An electronic ~~The apparatus according to claim 11,~~
~~further~~ comprising:

a capture unit capturing a target object;

a voice input unit inputting voice;

a rotation unit rotating said capture unit and said voice input unit; and

a rotation control unit controlling a rotating operation of said rotation unit either with a relative position between said capture unit and said voice input unit maintained or with said capture unit and said voice input unit independently operated.

14. (Currently Amended) An electronic ~~The apparatus according to claim 11,~~
~~further~~ comprising:

a capture unit capturing a target object;

a voice input unit inputting voice;

a rotation unit rotating said capture unit and said voice input unit with a relative position between said capture unit and said voice input unit maintained; and

an image rotation unit rotating a captured image by $\pm 180^0$ when a rotation angle from a predetermined position of said rotation unit exceeds $\pm 90^0$.

15-16. (Canceled)

17. (Previously Presented) An electronic apparatus, comprising:
a plurality of capture means, fixed in different directions, for capturing a target object;
voice input means for inputting voice;

selection means for selecting one of said plurality of capture means; and
sensitivity control means for controlling sensitivity of said voice input means
based on a relative angle between a direction of said capture means selected by said
selection means and a direction of said voice input means.

18. (Previously Presented) An electronic apparatus, comprising:
first capture means, fixed in a same direction as a display unit, for capturing a
target object in that direction;
second capture means, fixed in one direction while the display unit is fixed in an
opposite direction, for capturing a target object in the former direction;
voice input means for inputting voice;
selection means for selecting said first capture means or said second capture
means; and
sensitivity control means for controlling sensitivity of said voice input means
based on a relative angle between a direction of said capture means selected by said
selection means and a direction of said voice input means.

19. (Currently Amended) A mobile phone ~~An electronic apparatus~~, comprising:
a plurality of capture means for capturing a target object;
voice input means, equal in number to said plurality of capture means, for
inputting voice corresponding to respective capture means;
selection means for selecting one of said plurality of capture means; and

control means for controlling said plurality of voice input means based on said selection means.

20-25. (Canceled)

26. (New) The apparatus according to claim 1, further comprising a voice obtaining unit obtaining only voices of which input levels exceed a threshold value among voices input to said voice input unit.

27. (New) The apparatus according to claim 4, further comprising a voice obtaining unit obtaining only voices of which input levels exceed a threshold value among voices input to said voice input unit.

28. (New) The mobile phone according to claim 6, further comprising a voice obtaining unit obtaining only voices of which input levels exceed a threshold value among voices input to said voice input units.

29. (New) The apparatus according to claim 1, further comprising a rotation unit rotating said capture unit selected by said selection unit and said voice input unit with a relative position between said selected capture unit and said voice input unit maintained.

30. (New) The apparatus according to claim 4, further comprising a rotation unit

rotating said capture unit selected by said selecting unit and said voice input unit with a relative position between said capture unit selected by said selecting unit and said voice input unit maintained.

31. (New) The mobile phone according to claim 6, further comprising a rotation unit rotating said selected capture unit and said voice input units with a relative position between said selected capture unit and said voice input units maintained.

32. (New) The apparatus according to claim 1, further comprising a rotation unit rotating said capture unit selected by said selection unit, wherein the sensitivity control unit further controls the sensitivity of said voice input unit based on a rotation angle of said rotation unit.

33. (New) The apparatus according to claim 4, further comprising a rotation unit rotating said capture unit selected by said selection unit, wherein the sensitivity control unit further controls the sensitivity of said voice input unit based on a rotation angle of said rotation unit.

34. (New) The mobile phone according to claim 6, further comprising:
a rotation unit rotating said selected capture unit; and
a sensitivity control unit controlling sensitivity of said plurality of voice input units based on a rotation angle of said rotation unit.

35. (New) The apparatus according to claim 1, further comprising:
a rotation unit rotating said capture unit selected by said selection unit; and
a voice input control unit controlling said voice input unit from a direction of said voice input unit to obtain voice from a direction of said voice input unit based on a rotation angle of said rotation unit.

36. (New) The apparatus according to claim 4, further comprising:
a rotation unit rotating said capture unit selected by said selection unit; and
a voice input control unit controlling said voice input unit from a direction of said second voice input unit to obtain voice from a direction of said voice input unit based on a rotation angle of said rotation unit.

37. (New) The mobile phone according to claim 6, further comprising a rotation unit rotating said selected capture unit; and
a voice input control unit controlling said plurality of voice input units from respective directions of said plurality of voice input units to obtain voice from a direction of a voice input unit based on a rotation angle of said rotation unit.